



Material Safety Data Sheet

Product Identification:		Hydent[®]		
Manufacturer: Pascal Company, Inc. P.O. Box 1478 Bellevue, Washington 98009-1478 Phone Number (for information): 1-425-827-4694 Emergency Phone Number: 1-425-827-4694 Fax Number: 1-425-827-6893		MSDS Number* CAS Number* Date Prepared: January 18, 2002		
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION				
Components - Chemical Name & Common Name (Hazardous Components 1% or greater; Carcinogens 0.1% or greater) Zinc Oxide (Non-toxic as powder) Isobutane TOTAL:	%*	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
	100	.25		
SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS				
Boiling Point: (Isobutane) 10.9° F Vapor Pressure (mm Hg and Temperature): (Isobutane @ 32° F) 1,519.0 Vapor Density (AIR=1): (Isobutane) 2.01 Solubility in Water: Minimal Appearance and Odor: White paste with odor of mint		Specific Gravity (H ₂ O=1): (Isobutane) 0.5631 Melting Point: Not Determined Evaporation Rate (_____ - 1): Not Determined Water Reactive: N/A		
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA				
Extinguisher Media: CO ₂ , Dry Chemical, Water Special Fire Fighting Procedures: Confine fire to immediate area. Self-contained breathing apparatus Unusual Fire and Explosive Hazards: May react with oxidizing materials.		Flammability Limits in Air % by Volume: (Isobutane) Flash Point and Method Used: 120° F Auto-ignition Temperature: N/A		
SECTION 4 - REACTIVITY HAZARD DATA				
Stability: Stable Incompatibility (Materials to Avoid): May react with oxidizing materials. Decomposition Products: None Known Hazardous Polymerization: Will not occur		Conditions to Avoid: N/A Conditions to Avoid: N/A		
SECTION 5 - HEALTH HAZARD DATA				
Primary Routes of Entry: <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Ingestion <input type="checkbox"/> Skin Absorption Carcinogen, due to the presence of saccharin, Listed In NTP: No OSHA: No IARC Monograph: No Health Hazards (Acute and Chronic) Ingestion: Ingestion of normal quantities non-toxic. Eyes: May cause severe burning and irritation. Inhalation: Inhalation of large quantities of propellant may displace oxygen in lungs. Signs and Symptoms of Exposure: See above Medical Conditions Generally Aggravated by Exposure: None Known Emergency and First Aid Procedures: Seek medical assistance for further treatment, observation and support if necessary. Eye Contact: Flush with water for 15 minutes. Seek medical aid. Skin contact: N/A Inhalation: N/A				
SECTION 6 - CONTROL AND PROTECTIVE MEASURES				
Respiratory Protection (Specify Type); Dust mask recommended Protective Gloves: Latex Gloves Recommended Eye Protection: Recommended Ventilation To Be Used: <input type="checkbox"/> Local Exhaust: N/A <input type="checkbox"/> Mechanical (general): N/A <input type="checkbox"/> Special: N/A Protective Clothing And Equipment: Lab Coat/Jacket to protect clothing Hygienic Work Practices: Normal				
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES				
Steps to be Taken if Material is Spilled Or Released: Use soap and water after propellant has been dispersed. Provide adequate ventilation. Waste Disposal Methods: Empty containers may be disposed of in waste containers. Precautions to be Taken in Handling and Storage: Flammable. Contents under pressure. Keep away from fire. Do not puncture. Other Precautions and/or Special Hazards: None Known NFPA: Rating* ___ Health ___ Flammability ___ Reactivity ___ Special ___ HMIS Rating*: Health <u>0</u> Flammability <u>4</u> Reactivity <u>0</u> Personal Protection <u>E</u>				

* Optional